Page 1 of 8

Clearinghouse Rule Number: Hearing Location			ring Location: Madison
Rule Number	r: Chapters Commerce 21-2	5 Hea	ring Date: Thursday, June 19, 2008
Relating to: I	Uniform Dwelling Code		
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations	Agency Response
Speaker 1	Brett R. Wittig Squared Away Builders 1710 Tumbleweed West Bend, WI 53095	Is against the wall bracing proposal; training will be required, which create a hidden cost. Appreciates the considered delay in implement changes as it will give everyone time to train. Five different options some understanding. Believes the costs in the proposal are on the limit of the proposal	nting these swill take (UDC) that became effective June 1, 1980, the UDC has required construction that resists lateral wind loads of 20
Speaker 2	Michael Coello Coello and Associates, Inc. 2122 S. West Ave,. Waukesha, WI 53189	a. Comm 20.10: Adding a third day to footing inspections can causimplications for costs, safety, security, and quality of construction. foundation reinforcement inspection also will increase costs. Will inspectors unblanket and properly reblanket foundations in the wirk set of forms costs about \$250,000, but it only takes one day to set If the form has to sit and wait for an inspector, it could tie up a set for three days, thus costing time and money. Raw scrap metal is exand theft on job sites is common. Who will ensure the forms are not Inspectors can be good or bad about showing up within a reasonab window. b. Comm 20.14 (13) Table 20.24-1: Supports the upgrade to ACI should also have ACI 332R-2004, which deals specifically with reliesues.	Adding a the the proposal reflects the intent of the existing code and the department's current administration of the notification requirement. In a language that has been in the code since 2003. The proposal reflects the intent of the existing code and the department's current administration of the notification requirement. In a language that has been in the code since 2003. The proposal reflects the intent of the existing code and the department's current administration of the notification requirement.

Page 2 of 8

Clearinghouse Rule Number: Hearing			eation: Madison		
Rule Number	:: Chapters Commerce 21-2	Hearing Date:	Hearing Date: Thursday, June 19, 2008		
Relating to: Uniform Dwelling Code					
Comments:	Presenter,				
Oral or	Group Represented,	Comments/Recommendations	Agency Response		
Exhibit No.	City and State				
		c. Supports the weather-resistant barrier section, but it is lacking in the way	c. The department has modified the proposed code		
		it's written. Caulk alone as a sealant will leak over time. More communication with people in the field should be done before this section is finalized.	language to limit the size of the gap allowed when caulk is used as a sealing method.		
		d. Asks what problem is being solved with the wall bracing requirement. If the construction community knew, they could help find an effective solution. Thinks the current 40-page requirement as written will be tough to implement. Rebar and strap requirements are confusing as written, and it cannot be fixed or retrofitted if it is done wrong. Liability and risk is raised.	d. Same response as to Speaker # 1.		
Speaker 3	Ron Klassen Wallner Builders 12424 W Lancaster Ave. Butler, WI 53007	a. Seconds Speaker #2 re: wall bracing, but another concern is supplies. Who will supply rebar, brackets, and fittings, and at what time do they need to be there? Drawings should show a detail of what these things are.	a. Same response as to Speaker # 1. In addition, the bracing methods identified in the proposal incorporate the most recent language in the International Residential Code. This version results in more flexible construction types that can be built under conventional methods. The need for hold-downs and reinforced foundations has been greatly reduced.		
		b. Water resistant barrier: sealing a five-inch opening with caulk is bad practice. Proper remedies need to be identified. ASTM D226 should be the controlling specification.	b. Same response as to Speaker #2 Comment c. In addition, ASTM D226 can not be the sole referenced standard as it applies to a specific product type. There are other standards that apply to other products used in this application.		
Speaker 4 Exhibit 1	Pattie Stone Metropolitan Builders Association	a. Comm 21.25 (8), Wall-bracing: confusing, costly, and needlessly stringent.	a. Same response as to Speaker #1.		
	N16W23321 Stone Ridge Dr. Waukesha, WI 53188	b. Comm 21.24 (4), Water-Resistant Barrier requirement is incomplete and limited in its effectiveness. This section should be removed and reconsidered for a true drainage plane for the home.	b. Disagree. The proposed requirements are an appropriate improvement over the current code requirements.		
		c. Three day inspection issue: Agrees with Speaker #2.	c. Same response as to Speaker #2 Comment a.		

Page 3 of 8

Clearinghouse	Clearinghouse Rule Number: Hearing Locat			on: Madison	
Rule Number:	: Chapters Commerce 21-2	5	Hearing Date:	earing Date: Thursday, June 19, 2008	
Relating to: U	Iniform Dwelling Code				
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations		Agency Response	
		d. Adopted national standards section has no cost analysis.		d. The department has been unable to find any national standard provision that is likely to increase costs.	
		e. Optional fire sprinkler usage should be in the appendix, no proper because it is optional.	t in the code	e. Disagree. The fire sprinkler issue is conditional. If sprinklers are installed, they shall be installed per the code. There are many similar code provisions.	
		f. Table 21.10: "Use Categories" for lumber are not utilized by suppliers in the area.	by builders and	f. Agree, The use categories table has been removed from the proposal.	
		g. Comm 21.26 (8) c. 2. Removal of ropes: ropes are useful f water away and for preventing infestation. Don't see a reason remove these.		g. Disagree. Ropes in weep holes should never be used for wicking. The ropes must be removed to provide ventilation and a clear pathway for water removal.	
		h. The department failed to provide cost analysis for the propenergy chapter.	osed new	h. The department did consider the costs of the proposal and did identify them in the hearing documents. Wisconsin statutes require the department to review the latest standards and decide whether they should be incorporated in the UDC. The current ch. Comm 22 code is based on a Department of Energy (DOE) endorsed national standard. This code change proposal reflects the next iteration of a national energy code endorsed by the Department of Energy (DOE) and already incorporated in the 2004 and 2006 International Energy Conservation Code (IECC) and International Residential Codes (IRC). When DOE submitted the code change proposal for inclusion in the IECC and IRC, as reflected in this draft, in 2003 they stated "The intent is to transform the code to a format that is easy to understand, easy for builders and inspectors to remember, relatively unchanging with jurisdictional boundaries, unambiguous, and inexpensive to adopt and enforce."	
		i. Supports the delayed implementation date for training time		i. Support noted.	

Page 4 of 8

Clearinghous	se Rule Number:	Hea	ring Location: Madison
	r: Chapters Commerce 21-2	25 Hea	ring Date: Thursday, June 19, 2008
Relating to: I	Uniform Dwelling Code		
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations	Agency Response
Speaker 5 Exhibits 2 & 3	Cindi Gruebling WI Builders Association 4868 High Crossing Blvd Madison, WI 53704	Similar comments as Speaker #4. Especially is opposed to Comm 2 Wall Bracing, because the IRC is developing simplified rules regard bracing.	
Speaker 6 Exhibit 4	Ross Kinzler WI Housing Alliance 301 N. Broom St. Madison, WI 53703	a. Recommends the state of Wisconsin adopt the International Residuele Code (IRC) as the basis for the UDC in the next code change cycleb. Is concerned about the timeliness of inspections, stating that add another day is a concern.	Dwelling Code Council.
		c. Supports a delayed effective date of the code.	c. Support noted.
Speaker 7 Exhibit 5	Tom Milton American Plywood Assn. 12160 101st Ave. N	a. Supports a delayed effective date of the code because of potential regulations coming in 2009.	a. Same response as to Speakers #1and #5.
	Maple Grove, MN 55369	b. Company will supply training on wall bracing.	b. Comment noted.
		c. Feels language in proposed change is difficult to read; proposes language in Exhibit #5.	changes to c. The department has incorporated the suggested change into the proposal.
Speaker 8	Lee Fochs 2207 11½ Ave. Chetek, WI 54728	a. Delayed inspection time: If you work with your inspector and his you shouldn't have to wait for an inspection.b. Wall bracing: Everybody agrees it's necessary, but the problems	
		always in the details.	and application tools and is proposing an April 1, 2009, effective date to provide time for training on the wall bracing provisions.

Page 5 of 8

Clearinghouse Rule Number: Hearing Location			ion: Madison	
Rule Number	r: Chapters Commerce 21-2	25	Hearing Date:	Thursday, June 19, 2008
Relating to: I	Uniform Dwelling Code			
Comments:	Presenter,			
Oral or	Group Represented,	Comments/Recommendations		Agency Response
Exhibit No.	City and State			
Exhibit 6	Leonard Hannula Building Inspector Mt. Pleasant, Racine Co. Via e-mail	Proposes a clarification of the vapor retarder exclusion for b walls.	C	The department has modified the proposal as suggested.
Exhibit 7	Dan Emmerich Semling-Menke Co., Inc. Merrill, WI Via e-mail	Proposes a clarification of Comm 21.24 (3) (b) regarding fla exterior covering.	shing and	The department has modified the proposal as suggested.
Exhibit 8	Leo Udee Alliant Energy Via e-mail	Encourages the use of High Efficiency furnace toggle for Ge Pump systems in the ResCheck software submittals instead of efficiency 78% AFUE furnace choice.		The department has modified the code language to clarify that calculations for GeoThermal Heat Pump systems use the same insulation values as for High Efficiency furnaces.
Exhibit 9	Steve Meassick, PE Thermo Dynamics 112 N. Lexington Spring Green WI, 53588 Via e-mail	Similar comments as Exhibit #8.		Response same as to Exhibit #8.
Exhibit 10	Joel Gmack Via e-mail	a. Opposes wall bracing regulations because of potential IRC coming in 2009, at least delay the effective date of the code		Response same as to Speakers #1 and #5
		b. Concerned about Comm. 21.24 (4) Water-resistive barrier using the term "exterior covering."	rs and suggests	Disagree. The term "exterior covering" is already used for another purpose in that same code section.
		c. Opposes Comm. 20.10 allowing three days for inspections comments to Speaker #2 Comment a.	. Similar	Response same as to Speaker #2 Comment a.
		d. Suggests that if outside standards are being used for the U references are limited and, if vital, included in the code's applications.		Disagree. The references are limited but they are an integral part of the code. National standards have been incorporated in the UDC since 1980.

Page 6 of 8

<u> </u>			learing Location: Madison	
Rule Number	r: Chapters Commerce 21-2	5 Hearing Date:	Hearing Date: Thursday, June 19, 2008	
Relating to: U	Uniform Dwelling Code			
Comments:	Presenter,			
Oral or	Group Represented,	Comments/Recommendations	Agency Response	
Exhibit No.	City and State			
		e. Opposes Comm. 21.095 that might require fire sprinklers in single family homes in the future.	e. The department cannot predict what might happen with fire sprinklers in the future. The fire sprinkler issue is conditional. If sprinklers are installed, they shall be installed per the code. There are many similar code provisions.	
		f. Concerned about the "use categories" in Comm. 21.10 (3) and Table 21.10 and suggests the use of standard labels instead of new categories.	f. Agree. The use categories table has been removed from the proposal.	
		g. Opposes the Energy Chapter because it doesn't include a cost analysis.	g. Same response as to Speaker #4 Comment h.	
Exhibit 11	Chris Luster Southwestern WI Building Inspectors Assn	Requests a delay in the adoption of these regulations for training purposes.	Agree. The proposed effective date has been changed to April 1, 2009.	
Exhibit 12	Phil Scanlan 7776 Hwy 51 DeForest, WI 53532	Suggests a change to Comm. 21.17 to require pumps for sump systems with no exceptions.	Disagree. Different parts of the state have different slopes and soil conditions that make it unnecessary to require pumps in all situations.	
Exhibit 13	Ronald L. Derrick Derrick Homes, LLC 1505 Hwy 65 New Richmond, WI 54017	Similar comments as Exhibit #10 (all).	Same response as to Exhibit #10.	
Exhibit 14	Greg Kirschling Lumber Dealers Supply, Inc.	a. Supports adoption of new brick proposal as it will clarify questions residential masons frequently ask.	Support noted.	
	310 S Taylor St. Green Bay, WI 54307	b. Proposes adoption of a single water hold criterion for weather resistant barriers. Believes the three test options required to meet this proposal are very different and set three different and potentially conflicting standards.	b. Disagree. Several different types of material can be used and they use different test standards.	
		c. Proposes adding flashing recommendations for exterior windows, doors and penetrations. Suggests adopting the American Architectural Manufacturers Association (AAMA) standards.	c. The department will consider adopting the AAMA flashing standards with the next code update.	

Page 7 of 8

Clearinghous	se Rule Number:		Hearing Locati	ion: Madison
	r: Chapters Commerce 21-2	25	Hearing Date: Thursday, June 19, 2008	
Relating to: I	Uniform Dwelling Code			
Comments: Oral or Exhibit No.	Presenter, Group Represented, City and State	Comments/Recommendations		Agency Response
Exhibit 15	Randy Fenske Wausau Supply Co. 4200 White Ave. Eau Claire, WI 54702	a. Similar comments as Exhibit #14 Comment b. and suggests one particular test and standard: AATCC127 with a minimum spec of 55 cm of water holdout.		a. Same response as to Exhibit #14 Comment b.
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	b. Would like to see some language added regarding stone ve similar to the 2006 International Building Code (Section 140)		b. The department will discuss this recommendation with the code council.
		c. Similar comments as Exhibit #14 Comment c.		c. Same response as to Exhibit #14 Comment c.
Exhibit 16	Jeff Springer GEN-SYS Energy 3200 E. Avenue South La Crosse, WI 54601	a. Rules in Comm. 22 must accurately reflect Act 67, Senate Bill 381 because as written, Comm 22 subject electric heat sources to higher insulation requirements than propane, natural gas, or fuel oil.		a. Agree. The proposed rules have been amended to more accurately reflect the Act 67 requirements.
	·	b. Similar comments as Exhibit #8.		b. Same response as to Exhibit #8.
Exhibit 17	George Digman Kolbe & Kolbe Millwork Co., Inc. 1323 So. 11 th Ave. Wausau, WI 54401	Similar comments as Exhibit #14 Comment c.		Same response as to Exhibit #14 Comment c.
Exhibit 18	Jim Reif Jim Reif Builders 150 Semi Drive Frances Creek, WI 54214	a. Similar comments as Speakers #1 and #4 Comment b.		Same response as to Speakers #1 and #4 Comment b.
Exhibit 19	Mike Koslowski Heritage Woodworks, Inc. 1874 Commercial Way Green Bay, WI 54311	Similar comments as Speakers #1 and #4 Comment b. (Exact Exhibit #18.)	t comments as	Same response as to Speakers #1 and #4 Comment b.
Exhibit 20	Dave Johnson Manitowoc Co. Home Builders Assn. 820 S. 8 th St. Manitowoc, WI 54220	Similar comments as Speakers #1 and #4 Comment b. (Exact Exhibit #18.)	t comments as	Same response as to Speakers #1 and #4 Comment b.

Page 8 of 8

Clearinghouse Rule Number:			Hearing Location: Madison	
Rule Number: Chapters Commerce 21-25			Hearing Date: Thursday, June 19, 2008	
Relating to: I	Jniform Dwelling Code			
Comments:	Presenter,			
Oral or	Group Represented,	Comments/Recommendations		Agency Response
Exhibit No.	City and State			
Exhibit 21	Bob Jakel City of Kaukauna Via e-mail	Requests clarification of Comm. 21.035 (3) Interior circulation Regarding the required 30" clearance between a wall and a ratio oven, sink, refrigerator or freezer; Asks should the language "measurements taken from face to face?"	ange, cook top,	Comment noted. The proposal indicates measurement from face of appliance.
Exhibit 22	Fred Baumgart Building Inspector City of Franklin Via e-mail	Comm 21.04 requires a higher standard for risers and treads International Building Code (IBC), section 1009.3.2 and sug IBC standard be used.		Agree. The proposal has been changed to reflect the IBC standard.